



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/724,033	11/26/2003	Alexei A. Erchak	16459-008001	7277

23628 7590 03/27/2006

WOLF GREENFIELD & SACKS, PC
FEDERAL RESERVE PLAZA
600 ATLANTIC AVENUE
BOSTON, MA 02210-2206

EXAMINER

WON, BUMSUK

ART UNIT	PAPER NUMBER
----------	--------------

2879

DATE MAILED: 03/27/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/724,033

Applicant(s)

ERCHAK ET AL.

Examiner

Bumsuk Won

Art Unit

2879

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 28 December 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-31, 33, 34 and 36-39 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-31, 33, 34 and 36-39 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 08/05-10/05, 12/0
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: _____

DETAILED ACTION

The amendment filed on 12/23/2005 has been entered and acknowledged by Examiner.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-20, 22-31, 33, 34, 36, 38 and 39 are rejected under 35 U.S.C. 103(a) as being unpatentable over Camras (US 6,784,463) in view of Krames (US 5,779,924).

Regarding claims 1, 8 and 38, Camras discloses a light-emitting device, comprising: a multi-layer stack of materials (note figure 2A) including a light-generating region (note figure 2A, item 112), and a first layer (note figure 2A, item 114) supported by the light-generating region, a surface of the first layer being configured so that light generated by the light-generating region can emerge from the light-emitting device via the surface (note figure 2A, item 128) of the first layer; and a material in contact with the surface of the first layer, the material having an index of refraction less than about 1.3 (note column 12, lines 5-7, air has refractive index equal to 1), wherein the light-emitting device is packaged (note column 2, lines 37-38, figure 4).

However, Camras does not disclose the first layer is n-doped layer.

Krames discloses a light-emitting device having a first layer which is n-doped (column 6, line 66 – column 7, line 3), for the purpose of improving the performance of the device (abstract).

Art Unit: 2879

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use n-doped layer disclosed by Krames in the light-emitting device disclosed by Camras, for the purpose of improving the performance of the device.

Regarding claim 2, Krames discloses a light-emitting device, wherein the surface of the first layer (note figure 8, item 1 with castle like feature) has a dielectric function that varies spatially according to a pattern (note figure 8). The reason for combining is the same as for claim 1 above.

Regarding claims 3, Camras disclose the surface (note figure 2A, item 126a) of the first layer has features with a size of less than about $\lambda/5$, where λ is a wavelength of light that can be emitted by the first layer (note column 7, lines 56-58, "500 Angstroms", the wavelength that is emitted from the LED is between 4000 and 7500 Angstroms, thus, 500 Angstrom is less than 1/5 of the wavelength that is emitted from the LED).

Regarding claim 4, Camras discloses the light-emitting device is in the form of a packaged die (note column 2, lines 37-38, and figure 4, item 130).

Regarding claims 5 and 6, Camras discloses the material comprises air (note column 12, lines 2-7).

Regarding claim 7, Camras discloses all of the claimed limitations except for the pressure of the gas is less than about 100 Torr.

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to use a pressure of the gas being less than about 100 Torr in the light-emitting device disclosed by Camras, for the purpose of using the light-emitting device in an application which requires specific gas pressure.

Art Unit: 2879

Regarding claim 9, Camras discloses the packaged light-emitting device is free of an encapsulant material (note column 13, lines 38-41).

Regarding claim 10, Camras disclosed the light-emitting device comprising, in part, a cover (note figure 2A, item 117), the material (note figure 2A, item 126a) having an index of refraction of less than about 1.3 (note column 12, lines 5-7, air has refractive index equal to 1) being between the cover and the surface of the first layer.

Regarding claim 11, Camras discloses the cover comprises a phosphor material (note column 14, lines 33-40).

Regarding claim 12, Camras discloses the cover is configured so that light generated by the light-generating region that emerges via the surface of the first layer can interact with the phosphor material, and so that light that emerges via the surface of the first layer and interacts with the phosphor material emerges from the cover as substantially white light (note column 14, lines 13-19, 29-40).

Regarding claim 13, Camras discloses the light-emitting device of claim 1, further comprising: a first sheet (note figure 2A, item 117) comprising a material that is substantially transparent to light that emerges from the light-emitting device (note column 2, lines 55-57); and a second sheet (note figure 2A, coated on top of item 117, column 14, line 33) comprising a phosphor material, the second sheet being adjacent the first sheet (note column 14, lines 33-40), wherein the material having an index of refraction of less than about 1.3 (note column 12, lines 5-7) is between the first sheet (note figure 2A, item 117) and the surface of the first layer (note figure 2A, item 126b).

Art Unit: 2879

Regarding claim 14, Camras discloses the first (note figure 2A, item 117) and second sheet (note figure 2A, coated on top of item 117, column 14, line 33) being configured so that light generated by the light-generating region that emerges via the surface of the first layer can interact with the phosphor material, and so that light that emerges via the surface of the first layer and interacts with the phosphor material emerges from the second sheet as substantially white light (note column 14, lines 13-19, 29-40).

Regarding claim 15, Camras discloses a support (note figure 4, item 130) that supports the multi layer stack of materials (note figure 4).

Regarding claims 16 and 31, Camras discloses a layer of reflective material (note figure 4, item 118) that is capable of reflecting at least about 50% of light generated by the light-generating region that impinges on the layer of reflective material (note column 6, lines 35-41), the layer of reflective material being between the support (note figure 4, item 130) and the multi-layer stack of materials (note figure 4).

Regarding claim 17, Camras discloses the reflective material (note column 6, lines 35-41, and figure 4, item 118) is a heat sink material (note column 6, lines 19-23, "aluminum").

Regarding claims 18-20, Camras discloses the heat sink material (note figure 4, item 118) is configured so that the heat sink material has a vertical heat gradient during use of light-emitting device (note figure 4, the heat generated from the light-emitting region (112) will conduct heat vertically through the heat sink material (118) so that the heat conducts to support (130).) Camras also discloses that the heat sink material (note figure 4, item 118) is disposed adjacent the support (note figure 4).

Art Unit: 2879

Regarding claims 22-23, Camras discloses electrical contacts (note figure 1, items 18 and 20) configured to vertically inject electrical current into the light-emitting device (note column 1, lines 52-56).

Regarding claims 24-25, Camras discloses the light-emitting device is light-emitting diode (note column 1, lines 36-41).

Regarding claim 26, Camras discloses the light-emitting device is flat surface-emitting LEDs (note figure 7a and 7c has flat surface on the light-emitting or viewer side).

Regarding claim 27, Krames disclose a pattern with an ideal lattice constant and a detuning parameter with a value greater than zero (note column 4, lines 22-27, and figures 5a-5c). The reason for combining is the same as for claim 1 above.

Regarding claims 28-30, Krames discloses the pattern does not extend into the light-generating region (note figure 3A, item 112) (note figure 3A), the pattern does not extend beyond the first layer (note figure 7c), or the pattern extends beyond the first layer (note figure 10). The reason for combining is the same as for claim 1 above.

Regarding claim 33, Krames discloses the pattern is a non-periodic pattern (figure 5b). The reason for combining is the same as for claim 1 above.

Regarding claim 34, Krames discloses the pattern is a complex periodic pattern (figure 5c). The reason for combining is the same as for claim 1 above.

Regarding claim 36, Camras discloses the first layer (figure 2A, 114) is formed directly on the light-generating region (112).

Regarding claim 39, Krames discloses the surface of the first layer is roughened (figure 1). The reason for combining is the same as for claim 1 above.

Art Unit: 2879

Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Camras (US 6,784,463) in view of Krames (US 5,779,924), in further view of Huang (US 2004/0043524).

Regarding claim 21, Camras in view of Krames discloses all of the claimed limitations except for a current spreading layer being located between the first layer and the light-generating region.

Huang discloses a current spreading layer (note figure 2A, item 60) being located between the first layer (note figure 2A, item 70) and the light-generating region (note figure 2A, item 40).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have a current spreading layer between the first layer and the light generating region disclosed by Huang in the light-emitting device disclosed by Camras in view of Krames, for the purpose of increasing current flow for brighter light emission.

Claim 37 is rejected under 35 U.S.C. 103(a) as being unpatentable over Camras (US 6,784,463) in view of Krames (US 5,779,924), in further view of Lin (US 6,462,358).

Camras in view of Krames discloses all of the claimed limitations except for the thickness of the first layer is less than 10 microns.

Lin discloses a light-emitting device (figure 4) having a first layer (54) with a thickness less than 3 microns (column 4, lines 25-42), for the purpose of improving luminous efficiency (abstract).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have a first layer with a thickness less than 3 microns disclosed by Lin the light

Art Unit: 2879

emitting device disclosed by Camras in view of Krames, for the purpose of improving luminous efficiency.

Response to Arguments

Applicant's arguments with respect to claims 1-35 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.


Contact information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bumsuk Won whose telephone number is 571-272-2713. The examiner can normally be reached on Monday through Friday, 8:00 am to 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nimeshkumar Patel can be reached on 571-272-2457. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2879

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Bumsuk Won
Patent Examiner



JOSEPH WILLIAMS
PRIMARY EXAMINER